

Interisland Livestock Shipping Standards | CATTLE

Shippers must present completed self-certifying shipping checklist to YB Harbor Agent with each shipment. HDOA DC-44 shall accompany each livestock shipment

Animals that are injured, obviously ill, unable to bear weight on all 4 limbs, are likely to give birth during transport, or those that have not been weaned and are traveling separate from the mother should not be transported. Aggressive animals should be transported separately. Animals are expected to be treated in a humane manner at all times. These rules and guidelines only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

	REQUIREMENTS	INITIAL
SHIPPING METHOD	Trailers, 20' containers, 40' containers, shipping pens. Must be 4-sided, structurally sound and without protruding objects that could injure animals. Must have four sided forklift pockets to ensure container cannot shift or tip off the fork lift during lifting.	_____
LEAK PROOF	All shipping trailers/containers shall be watertight up to a level of 2" and nonslip flooring is required.	_____
SIDES	Sides shall be solid up to the level of the animals' backs or window guards should be indented to prevent discharge.	_____
WINDOWS	Escape proof. Must contain entire animal. Tall enough to be above the backs of the animals or with 6" indented bars to prevent fecal discharge and allow proper airflow*	_____
ROOF	Must have a solid roof to protect from the sun, rain, and contain the animal entirely.	_____
WATER	Not required for trips < 24hrs; must have some form of watering system in case of transit delay. Please bring your own water when possible.	_____
FEED	Not required for trips < 24hrs.	_____
SPACE	*See table.	_____
TRAILERS DELIVERING LIVESTOCK	All livestock trailers entering into the harbor must be constructed to contain animal fecal matter and urine.	_____
TRANSFER AREA & STAGING AREA	In secured DOT designated area only. Water should be available nearby.	_____
TRANSFER PROCESS (TRAILER TO CONTAINER)	Trailer with slide or inward opening gate abut flush to container with slide or inward opening gates.	_____
OR TRANSFER PROCESS (DOT CHUTE)	Secure chute gates to trailer and container, if DOT chute is available.	_____
SPILLAGE	All spillage must be cleaned up and removed from harbor. To comply with EPA, no watershould be used to clean, the shipper must bring shovel, broom, etc to clean area. All shipping containers that remain in the harbor must be cleaned out and material hauled away. A fine/fee will be imposed if spillage is not cleaned.	_____

Name: _____ Phone: _____

Organization: _____ Email: _____

*Window openings should be at least 7% of the area of the side panel surface to ensure proper ventilation

Interisland Transportation Space Requirements* CATTLE					
*These space requirements only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.					
AVG. BODY WEIGHT (lbs)	AREA PER ANIMAL (ft ²)	HEIGHT (ALL SPECIES)	20' CONTAINER (max number to load)	40' CONTAINER (max number to load)	40'X2 DOUBLE DECKER (max number to load)
400	7	Stand comfortably, ensure head clearance	23	46	70
500	8		20	40	61
600	9		18	36	54
800	11		15	29	Over height limit
1,000	14		11	23	Over height limit
1,200	15.5		10	21	Over height limit
1,500	19		8	17	Over height limit

EMERGENCY SITUATIONS - ALL SPECIES		
LOCATION	UNLOADING AREA	CONTACT
Hawaii	All Species: Return to farm	All Species: Contact Shipper/ Receiver; Backup is State Veterinary Medical Officer
Kauai	Cattle: Kauai Loading Facility Other Species: Return to farm	
Lanai	All Species: Return to farm	
Maui	Cattle: Maui Staging/Quarantine Station Other Species: Return to farm	
Molokai	All Species: Return to farm	
Oahu	All Species: Halawa Quarantine Station or return to farm	

Interisland Livestock Shipping Standards | SHEEP & GOATS

Shippers must present completed self-certifying shipping checklist to YB Harbor Agent with each shipment. HDOA DC-44 shall accompany each livestock shipment

Animals that are injured, obviously ill, unable to bear weight on all 4 limbs, are likely to give birth during transport, or those that have not been weaned and are traveling separate from the mother should not be transported. Aggressive animals should be transported separately. Animals are expected to be treated in a humane manner at all times. These rules and guidelines only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

	REQUIREMENTS	INITIAL
SHIPPING METHOD	Trailers, 20' containers, 40' containers, shipping pens. Must be structurally sound and without protruding objects that could injure animals. Must have four sided forklift pockets to ensure container cannot shift or tip off the fork lift during lifting.	_____
LEAK PROOF	All shipping trailers/containers shall be watertight up to a level of 2" minimum absorptive bedding and nonslip flooring is required.	_____
SIDES	Sides shall be solid up to the level of the animals' backs.	_____
WINDOWS	Escape proof. Must contain entire animal. Tall enough to be above the backs of the animals or with 3" indented bars to prevent fecal discharge.	_____
ROOF	Must have a solid roof to protect from the sun, rain, and contain the animal entirely.	_____
WATER	Not required for trips < 24hrs; must have some form of watering system in case of transit delay. Please bring your own water when possible.	_____
FEED	Not required for trips < 24hrs.	_____
SPACE	*See table.	_____
TRAILERS DELIVERING LIVESTOCK	All livestock trailers entering into the harbor must be constructed to contain animal's fecal matter and urine. and contain bedding material.	_____
TRANSFER AREA & STAGING AREA	In DOT designated area only. Water should be available nearby.	_____
TRANSFER PROCESS (TRAILER TO CONTAINER)	Trailer with slide or inward opening gate abut flush to container with slide or inward opening gates	_____
OR TRANSFER PROCESS (DOT CHUTE)	Secure chute gates to trailer and container , if DOT chute is available. Block space between trailer back gate floor and ground.	_____
SPILLAGE	All spillage must be cleaned up and removed from harbor. To comply with EPA, no water should be use to clean, the shipper must bring shovel, broom, etc to clean area. All shipping containers that remain in the harbor must be cleaned out and material hauled away. A fine/fee will be imposed if spillage is not cleaned.	_____

Name: _____ Phone: _____

Organization: _____ Email: _____

INTERISLAND TRANSPORTATION SPACE REQUIREMENTS* | SHEEP & GOATS

*These space requirements only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

AVG. BODY WEIGHT (lbs)	AREA PER ANIMAL (ft ²)	HEIGHT (ALL SPECIES)	20' CONTAINER (max number to load)	40' CONTAINER (max number to load)	40'X2 DOUBLE DECKER (max number to load)
60	2.4	Stand comfortably, ensure head clearance	67	133	203
80	2.7		59	119	181
100	3		53	107	163
120	3.6		44	89	136

EMERGENCY SITUATIONS - ALL SPECIES

LOCATION	UNLOADING AREA	CONTACT
Hawaii	All Species: Return to farm	All Species: Contact Shipper/ Receiver; Backup is State Veterinary Medical Officer
Kauai	Cattle: Kauai Loading Facility Other Species: Return to farm	
Lanai	All Species: Return to farm	
Maui	Cattle: Maui Staging/Quarantine Station Other Species: Return to farm	
Molokai	All Species: Return to farm	
Oahu	All Species: Halawa Quarantine Station or return to farm	

Interisland Livestock Shipping Standards | SWINE

Shippers must present completed self-certifying shipping checklist to YB Harbor Agent with each shipment. HDOA DC-44 shall accompany each livestock shipment

Animals that are injured, obviously ill, unable to bear weight on all 4 limbs, are likely to give birth during transport, or those that have not been weaned and are traveling separate from the mother should not be transported. Aggressive animals should be transported separately. Animals are expected to be treated in a humane manner at all times. These rules and guidelines only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

	REQUIREMENTS	INITIAL
SHIPPING METHOD	Trailers, 20' containers, 40' containers, shipping crates. Must be 4-sided & structurally sound and without protruding objects that could injure animals. Must have four sided forklift pockets to ensure container cannot shift or tip off the fork lift during lifting.	_____
LEAK PROOF	All shipping trailers/containers shall be watertight up to a level of 2" absorptive bedding and nonslip flooring is required.	_____
SIDES	Sides shall be solid up to the level of the animals' backs	_____
WINDOWS	Escape proof. Must contain entire animal including head. Tall enough to be above the backs of the animals or with 6" indented bars to prevent fecal discharge.	_____
ROOF	Must have a solid roof to protect from the sun, rain, and contain the animal entirely.	_____
WATER	Fr transits over 12hrs, 1 self contained watering system required per 15 pigs . Must not cause leakage from container. Please bring your own water	_____
FEED	Not required for trips < 24hrs, but recommended	_____
SPACE	*See table.	_____
TRAILERS DELIVERING LIVESTOCK	All livestock trailers entering into the harbor must be constructed to contain animal's fecal matter and urine.	_____
TRANSFER AREA & STAGING AREA	In DOT designated area only. Water should be available nearby.	_____
TRANSFER PROCESS (TRAILER TO CONTAINER)	Trailer with slide or opening inward gate abut flush to container with slide or inward opening gates	_____
OR TRANSFER PROCESS (DOT CHUTE)	Secure chute gates to trailer and container , if DOT chute is available. Block space between trailer back gate floor and ground.	_____
SPILLAGE	All spillage must be cleaned up and removed from harbor. To comply with EPA, no water should be used to clean, the shipper must bring shovel, broom, etc to clean area. All shipping containers that remain in the harbor must be cleaned out and material hauled away. A fine/fee will be imposed if spillage is not cleaned.	_____
Name: _____ Phone: _____		
Organization: _____ Email: _____		

INTERISLAND TRANSPORTATION SPACE REQUIREMENTS* SWINE					
*These space requirements only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.					
AVG. BODY WEIGHT (lbs)	AREA PER ANIMAL (ft ²)	HEIGHT (ALL SPECIES)	20' CONTAINER (max number to load)	40' CONTAINER (max number to load)	40'X2 DOUBLE DECKER (max number to load)
50	1.8	Stand comfortably, ensure head clearance	87	174	276
100	2.8		57	115	182
150	3.5		45	90	143
200	4.2		38	76	120
250	5.1		31	63	99
300	6		27	53	84
350	6.6		24	49	77

EMERGENCY SITUATIONS - ALL SPECIES		
LOCATION	UNLOADING AREA	CONTACT
Hawaii	All Species: Return to farm	All Species: Contact Shipper/ Receiver; Backup is State Veterinary Medical Officer
Kauai	Cattle: Kauai Loading Facility Other Species: Return to farm	
Lanai	All Species: Return to farm	
Maui	Cattle: Maui Staging/Quarantine Station Other Species: Return to farm	
Molokai	All Species: Return to farm	
Oahu	All Species: Halawa Quarantine Station or return to farm	

Interisland Livestock Shipping Standards | HORSES

Shippers must present completed self-certifying shipping checklist to YB Harbor Agent with each shipment. HDOA DC-44 shall accompany each livestock shipment

Animals that are injured, obviously ill, unable to bear weight on all 4 limbs, are likely to give birth during transport, or those that have not been weaned and are traveling separate from the mother should not be transported. Aggressive animals should be transported separately. Animals are expected to be treated in a humane manner at all times. These rules and guidelines only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

	REQUIREMENTS	INITIAL
SHIPPING METHOD	Trailers, 20' containers, 40' containers, shipping box stalls (must fully contain entire animal). Must be structurally sound and without protruding objects that could injure animals. Must have four sided forklift pockets to ensure container cannot shift or tip off the fork lift during lifting.	_____
LEAK PROOF	All shipping trailers/containers shall be watertight up to 2" Absorptive bedding and nonslip flooring is required.	_____
SIDES	Box stalls shall be leak proof up to the level of 2" board. Front and back walls of box stalls shall be solid up to 5' and must contain all manure, urine, water, feed and the entire animal (head cannot extend outside of the stall). Sides shall be solid up to the level of 4' followed by slats with 2" openings up to 7.5'.	_____
WINDOWS	High enough to be above the backs of the animals to prevent fecal discharge.	_____
ROOF	Must have a solid roof to protect from the sun, rain, and contain the animal entirely.	_____
WATER	Self contained watering system required for transits over 12hrs. Must not cause leakage from container. Please bring your own water when possible.	_____
FEED	Food should be available at all times	_____
SPACE	*See table. Aggressive stallions, mares, or geldings should be transported separately. Full divider panels should be used.	_____
TRAILERS DELIVERING LIVESTOCK	All livestock trailers entering into the harbor must be constructed to contain animal's fecal matter and urine and contain bedding material.	_____
TRANSFER AREA & STAGING AREA	In DOT designated area only. Water should be available nearby.	_____
TRANSFER PROCESS (TRAILER TO CONTAINER)	Trailer with slide or inward opening gate abut flush to container with slide or inward opening gates.	_____
OR TRANSFER PROCESS (DOT CHUTE)	Secure chute gates to trailer and container or box stall, if DOT chute is available.	_____
SPILLAGE	All spillage must be cleaned up and removed from harbor. To comply with EPA, no water should be used to clean, the shipper must bring shovel, broom, etc to clean area. All shipping containers that remain in the harbor must be cleaned out and material hauled away. A fine/fee will be imposed if spillage is not cleaned.	_____

Name: _____ Phone: _____
 Organization: _____ Email: _____

Interisland Transportation Space Requirements* | HORSES

*These space requirements only pertain to Hawaii interisland transportation and do not pertain to interstate shipping.

AVG. BODY WEIGHT (lbs)	AREA PER ANIMAL (ft ²)	HEIGHT (ALL SPECIES)	20' CONTAINER (max number to load)	40' CONTAINER (max number to load)	40'X2 DOUBLE DECKER (max number to load)
300-1100	20 (2.5 x 8.0 ft)	Stand comfortably, ensure head clearance	7	14	Over height limitation

EMERGENCY SITUATIONS - ALL SPECIES

LOCATION	UNLOADING AREA	CONTACT
Hawaii	All Species: Return to farm	All Species: Contact Shipper/ Receiver; Backup is State Veterinary Medical Officer
Kauai	Cattle: Kauai Loading Facility Other Species: Return to farm	
Lanai	All Species: Return to farm	
Mauai	Cattle: Maui Staging/Quarantine Station Other Species: Return to farm	
Molokai	All Species: Return to farm	
Oahu	All Species: Halawa Quarantine Station or return to farm	